



D.A.R.T



Looking for a stage monitor engineered to satisfy professional demands for performance and sound without requiring additional power amps, crossovers and cables? Want a versatile enclosure suitable for use as a side-fill, front-fill or a FOH system for (almost) unplugged gigs? Then welcome to D.A.R.T. D.A.R.T packs a high-quality preamp, controller, active crossover, two power amps, a 12" speaker and a 1" CD horn in a compact, low-profile monitor housing. With HK AUDIO OFR™ technology on board, these enclosures project extraordinarily rich, transparent sound, even at very high levels. And their remarkably linear frequency response enables high volumes with reduced feedback sensitivity. Though D.A.R.T has been optimised for use as a stage monitor, its multi-functional housing shape and the integrated DuoTilt™ pole-mount cup allow it to be used for additional applications. With all this and a full-featured input stage (to including a microphone input for the mayor's address), D.A.R.T is a high-end sound-reinforcement "Swiss Army knife" for literally every occasion.

D.A.R.T—Professional Monitoring & More!

Facts & Features

- The right solution for every musician who wants hassle-free professional monitoring
- Two-way active circuitry featuring OFR™ technology
- 250 watts RMS digital power amp for the 12" speaker
- Power amp with 60 watts RMS for the 1" HFdriver
- Multi-band limiting for key frequency ranges
- Two-band EQ included
- Balanced, separately adjustable microphone and line inputs and additional RCA input
- HK AUDIO DuoTilt™ for directing sonic energy towards the audience when used on a stand
- Weight: 19.8 kg / 43.6 lbs.



D.A.R.T



Model	D.A.R.T. - Monitor
Product Class	Monitor
Headline	Aktiv High-Class Monitoring
Frequency response +/- 3 dB	80 Hz - 19 kHz
Sensitivity 1W	105 dB
Maximum SPL, @ 10% THD	123 dB dB@10% THD (half space)
Low/Midrange amplifier	250 W , Class D
HF Amplifier	60 W
Active protection circuits	Multi-Band-Limiter
Connections	XLR Mic In, Line, Through, 2x Cinch Aux in
LF Speaker	1x 12"
HF Driver	1"
Horn characteristics	60° x 40° CD horn
HF protection (passive)	Dynamic protection circuitry
Crossover frequency	2 kHz, 24 dB/ Okt. active
Pole mount	DuoTilt 3/7
Handles	1, integrated
Optional accessories	Protection cover
Enclosure	MDF/Birch plywood
Grille	metal grille with acoustic foam
Finish	acrylic painture, black
Dimensions (WxHxD)	56 cm x 40,5 cm x 34 cm
Weight	21 kg / 46.3 lbs.



D.A.R.T



HK Audio Speaker Stand Add-On

The ideal accessory kit for satellite and fullrange speakers, the Speaker Stand Add-On Package comes with two aluminum tripod stands and two 7-metre long speaker cables with Speakon® connectors. A practical nylon carry bag rounds out the package.



HK Audio Protection Cover
